

Current Perspectives in the Literature on Challenging Behaviour from the J.W. Crane Memorial Library

Current **P**erspectives consists of selected articles from the current journal literature, focusing on systematic reviews, best practice models, and innovative approaches. Also featured are new resources added to the J.W. Crane Memorial Library, as well as selected Internet resources. Updated when new material is available.

The following articles, books and internet resources on challenging behaviour in long term care represent a sampling of available information and a starting place for finding information on this topic. To find further resources on this subject, you may wish to search our online catalogue, now available online at: http://www.deerlodge.mb.ca/crane_library/search_catalogue.asp Use the following keyword(s)/term(s): "behavioural disorders"/behaviour/aggression/wandering or contact the Library for more searching tips and advice.

...from the Journal Literature

Algase DL, Beel-Bates C, Beattie ERA. Wandering in long-term care. *Annals of Long-Term Care* Jan 2003;11(1):33-39.

Allen B. Multimodal behavior management for people with dementia. *American Journal of Alzheimer's Disease and other Dementias* Mar/Apr 2002;17(2):89-91.

Allen RS. The revised Memory and Behavior Problems Checklist—Nursing Home: instrument development and measurement of burden among certified nursing assistants. *Psychology and Aging* Dec 2003;18(4):886-895.

Astrom S. et. al. Staff's experience of and the management of violent incidents in elderly care. *Scandinavian Journal of Caring Science* Dec 2004;19(60):361-368.

Aud MA. Dangerous wandering: elopements of older adults with dementia from long-term care facilities. *American Journal of Alzheimer's Disease and Other Dementias* Nov-Dec 2004;19(6):361-368.

Baillon S, et. al. A comparison of the effects of Snoezelen and reminiscence therapy on the agitated behaviour of patients with dementia. *International Journal of Geriatric Psychiatry* 2004;19(11):1047-52.

Beattie ER. Keeping wandering nursing home residents at the table: improving food intake using a behavioral communication intervention. *Aging and Mental Health* Mar 2004;8(2):109-116.

Beattie ER, Algase DL, Song J. Behavioral symptoms of dementia: their measurement and intervention. *Aging and Mental Health* Mar 2004;8(20):109-117

- Beck CK. Effects of behavioral interventions on disruptive behavior and affect in demented nursing home residents. *Nursing Research* Jul-Aug 2002;51(4):219-28.
- Braun UK; Kunik ME. Behavioral disturbances in dementia: finding the cause(s). *Geriatrics* 2004 59(12):32-34. Available online at: <http://www.alz.org/Resources/Resources/rtrlbehav.asp>
- Brazil K. et. al. Perception of resident behavior problems and their clinical management in long term care facilities. *Journal of Mental Health and Aging* Spring 2003; 9(1):35-42.
- Brodaty H, Low LF. Aggression in the elderly. *Journal of Clinical Psychiatry* 2003;64 (Suppl 4):36-43.
- Buchanan D, Minor P. Wandering: safe walking for a challenging purposeful behavior. *Perspectives* Summer 2004;28(2):16-22.
- Burgio LD et. al. Teaching and maintaining behavior management skills in the nursing home. *Gerontologist* Aug 2002;42(4):487-496.
- Cassidy EL, Sheikh JI. Pre-intervention assessment for disruptive behavior problems: a focus on staff needs. *Aging and Mental Health* May 2002;6(2):166-71.
- Cohen GD. Alzheimer's disease. Managing behavioral problems in patients with progressive dementia. *Geriatrics* Feb 2002;57(2):53-54.
- Cohen-Mansfield J. Approaches to the management of disruptive behavior. IN Lawton MP, Rubinstein RL. *Interventions in dementia care: toward improving quality of life*. New York: Springer, 2000. [WM 220 I615 2000]
- Cohen-Mansfield J. Nonpharmacologic interventions for inappropriate behaviors in dementia: a review, summary, and critique. *American Journal of Geriatric Psychiatry* 2001;9:361-81.
- Cohen-Mansfield J, Mintzer JE. Time for change: the role of nonpharmacological intervention in treating behavior problems in nursing home residents with dementia. *Alzheimer Disease and Associated Disorders* Jan/Feb/March 2005;19(1):37-40.
- Colling KB. Caregiver interventions for passive behaviors in dementia: links to the NDB model. *Aging & Mental Health* Mar 2004;8(2):117-25.
- Colling KB, Buettner LL. Simple pleasures: interventions from the Need-Driven Dementia-Compromised Behavior model *Journal of Gerontological Nursing* Oct 2002;28(10):16-20.
- Cullen B, Coen RF, Lynch CA, et al. Repetitive behaviour in Alzheimer's Disease: description, correlates and functions. *International Journal of Geriatric Psychiatry*. 2005; 20(7):686-693.

- Dewing J. Screening for wandering among older persons with dementia. *Nursing Older People*. 2005 May;17(3):20-4.
- DeYoung S, Just G, Harrison R. Decreasing aggressive, agitated, or disruptive behavior: participation in a behavior management unit. *Journal of Gerontological Nursing* Jun 2002;28(6):22-31.
- Draper B et. al. Self-destructive behaviors in nursing home residents. *Journal of the American Geriatrics Society* Feb 2002;50(2):354-358.
- Fitzwater EL, Gates DM. Testing an intervention to reduce assaults on nursing assistants in nursing homes: a pilot study. *Geriatric Nursing* 2002;23(1):18-23.
- Foley KL. Staff perceptions of successful management of severe behavioral problems in dementia special care units. *Dementia* Feb 2003;2(1):105-124.
- Gates DM. Development of instruments to assess assaultive behavior in nursing homes. *Journal of Gerontological Nursing* Aug 2003;29(8):37-45.
- Gates DM, Fitzwater E, Succop P. Reducing assaults against nursing home caregivers. *Nursing Research* Mar-Apr 2005;54(2):119-127.
- Gray SG, Clair AA. Influence of aromatherapy on medication administration to residential-care residents with dementia and behavioral challenges. *American Journal of Alzheimer's Disease and other Dementias* May/June 2002;17(3):169-7.
- Hall KA, O'Connor DW. Correlates of aggressive behavior in dementia. *International Psychogeriatrics* Jun 2004;16(2):141-58.
- Herrmann N: Recommendations for the management of behavioral and psychological symptoms of dementia. *Canadian Journal of Neurological Sciences*. 2001;28 (Suppl 1):S96-107.
- Hodgson N, et. al. Biobehavioral correlates of relocation in the frail elderly: salivary cortisol, affect, and cognitive function. *Journal of the American Geriatrics Society* Nov 2004;52(11):1856-62.
- Holmes C, et. al. Lavender oil as a treatment for agitated behaviour in severe dementia: a placebo controlled study. *International Journal of Geriatric Psychiatry* April 2002;17(4):305-308.
- Journal of Clinical Geropsychology*. (Special Issue: Behavioral Problems and Aging Oct 2001, 7(4)).
- Junaid O, Junaid K. Dealing with disruptive patients. *Geriatric Medicine* Jun 2003;33(6):21-29.

- Kolanowski AM, Litaker MS, Baumann MA. Theory-based intervention for dementia behaviors: a within-person analysis over time. *Applied Nursing Research* May 2002;15(2):87-96.
- Kolanowski AM; Richards KC; Sullivan SC. Derivation of an intervention for need-driven behavior: activity preferences of persons with dementia. *Journal of Gerontological Nursing* Oct 2002;28(10):12-15.
- Kunick ME. Determinants of behavioral symptoms in dementia patients. *Clinical Gerontologist* 2003;26(3/4):83-89.
- Kunick ME, et. al. Disruptive behavior in dementia. *Alzheimer's Care Quarterly* Apr/Jun 2003;4(2):125-136.
- Leger JM, et. al. Agitation and aggressiveness among the elderly population living in nursing or retirement homes in France. *International Psychogeriatrics* Dec 2002;14(4):405-416.
- Lichtenberg PA. et. al. Pilot study of behavioral treatment in dementia care units. *The Gerontologist* 2005;45(3):406-410.
- Low LF. The relationship between self-destructive behaviour and nursing home environment. *Aging and Mental Health* Jan 2004;8(1):29-33.
- LTC Nurse's Companion*. (Special Issue: Wandering June 2004, 2(6)).
- Magai C, Cohen CI, Gomberg D. Impact of training dementia caregivers in sensitivity to nonverbal emotion signals. *International Psychogeriatrics* Mar 2002;14(1):25-38.
- Management decisions and their impact on resident behaviors. *Alzheimer's Care Quarterly* 2005;6(2):103-110.
- McCarthy JF, Blow FC, Kales HC. Disruptive behaviors in Veterans Affairs nursing home residents: how different are residents with serious mental illness? *Journal of the American Geriatrics Society* Dec 2004;52(12):2031-38.
- McMinn B, Draper B. Vocally disruptive behaviour in dementia: development of an evidence based practice guideline. *Aging and Mental Health* Jan 2005;9(1):16-24.
- Mickus M, et. al. Developing effective bathing strategies for reducing problematic behavior for residents with dementia: the PRIDE approach. *Journal of Mental Health and Aging* Spring 2002;8(1):37-42.
- Muirhead G, Sachs C. A multidisciplinary approach to LTC patients with behavioral problems. *Journal of Clinical Nursing* Nov 2003;12(6):888-898.
- Neugroschi J. How to manage behavior disturbances in the older patient with dementia. *Geriatrics* Apr 2002;57(4):33-40.

- Nevill CC, Byrne GJA. Behaviour rating scales for older people with dementia: what is the best for use by nurses? *Australasian Journal on Ageing* Dec 2001;20(4):166-172.
- Norton LE, Malloy PF, Salloway S. The impact of behavioral symptoms on activities of daily living in patients with dementia. *American Journal of Geriatric Psychiatry* 2001;9(1):41-48.
- Opie J, Doyle C, O'Connor DW. Challenging behaviours in nursing home residents with dementia: a randomized controlled trial of multidisciplinary interventions. *International Journal of Geriatric Psychiatry* 2002;17(1):6-13.
- Osterweil, D. Alzheimer's disease in the long-term care setting: management of behavioral disturbances with cholinesterase inhibitors. *Annals of Long-Term Care* 2004;2(7):18-24.
- Pomara N, Volavka J, Czobor P, Hernando R, Sittis JJ. Screaming and physical aggression in nursing homes. *American Journal of Geriatric Psychiatry*. 2005;13(6):539-40.
- Profenno LA. Pharmacologic management of agitation in Alzheimer's disease. *Dementia and Geriatric Cognitive Disorders* 2004;17(1-2):65-77.
- Ramadan FH. Correlates of behavioral disturbances and pattern of psychotropic medication use in five skilled nursing facilities. *Journal of Geriatric Psychiatry and Neurology* Mar 2003;16(1):8-14.
- Schindel-Martin L. Teaching staff to respond effectively to cognitively impaired residents who display self-protective behaviors. *American Journal of Alzheimer's Disease and Other Dementias* Sept-Oct 2003;18(5):273-281.
- Shaw MM. Aggression toward staff by nursing home residents: findings from a grounded theory study. *Journal of Gerontological Nursing* Oct 2004;30(10):43-54.
- Shultz SK. The influence of cognitive impairment and behavioral dysregulation on daily functioning in the nursing home setting. *American Journal of Psychiatry* Mar 2003;160(3):582-584.
- Silvestri A, et. al. Behavioral disturbances in Alzheimer's disease: a non-pharmacological therapeutic approach. *Archives of Gerontology and Geriatrics* 2004;Suppl 9:379-86.
- Skovdahl K. Different attitudes when handling aggressive behavior in dementia—narratives from two caregiver groups. *Aging and Mental Health* Jul 2003;7(4):277-286.

- Snowden M, Sato K, Roy-Byrne P. Assessment and treatment of nursing home residents with depression or behavioral symptoms association with dementia: a review of the literature. *Journal of the American Geriatrics Society* Sep 2003;51(9):1305-1317.
- Soreff S, Siddle D. Understanding and dealing with resident aggression. *Nursing Homes and Long Term Care Management* Mar 2004;53(3):58-60.
- Souder E. Disruptive behaviors of older adults in an institutional setting. *Journal of Gerontological Nursing* Aug 2003;29(8):31-36.
- Stokes G. What have I done to deserve this: understanding ‘aggressive resistance’. *Journal of Dementia Care* July/Aug 2004;12(4):30-32.
- Sullivan SC, Richards KC. Special section – behavioral symptoms of dementia: their measurement and intervention. Predictors of circadian sleep-wake rhythm maintenance in elders with dementia. *Aging & Mental Health* Mar 2004;8(2):143-52.
- Swift MB, Williams RB, Potter MT. Using group process to educate staff and manage aggressive behavior of nursing home residents. *Journal of Psychosocial Nursing* 2002;40(1):41-45.
- Teri L., Logsdon RG, McCurry SM. Nonpharmacologic treatment of behavioral disturbance in dementia. *Medical Clinics of North America* May 2002;86(3):641-56.
- Turner S. Behavioural symptoms of dementia in residential settings: a selective review of non-pharmacological interventions *Aging and Mental Health* Mar 2005;9(2):93-104.
- Vance DE. et. al. Predictors of agitation in nursing home residents. *Journal of Gerontology B* Mar 2003;58(2):P129-37.
- Verkaik R, Van Weert JC, Francke AL. The effects of psychosocial methods on depressed, aggressive and apathetic behaviors of people with dementia: a systematic review. *International Journal of Geriatric Psychiatry* Apr 2005;20(4):301-313.
- Watts G. The development of a service for older people with challenging behaviour. *Signpost* 2002;6(2):38-39.
- Werner P, et. al. Interventions used by nursing staff members with psychogeriatric patients resisting care. *International Journal of Nursing Studies* May 2002;39(4):461-7.
- Zeisel J. Environmental correlates to behavioral health outcomes in Alzheimer’s special care units. *Gerontologist* Oct 2003;43(5):697-711.

...Clinical Practice Guidelines

Alexopoulos GS, Silver JM, Kahn DA, Frances A, Carpenter D, eds. Treatment of agitation in older persons with dementia. (Expert guidelines series). Special report of *Postgraduate Medicine*, April, 1998. Available on the Internet at www.psychguides.com/gl-treatment_of_agitation_in_dementia.html [WM 600 T784 1998] Includes a guide for families and caregivers in small and large print.

Beuttner, L. *Dementia practice guidelines for recreation therapy: treatment of disturbing behaviors*. Alexandria, Va.: American Therapeutic Recreation Association, 2003. [WM 600 B928 2003]

McGonigal-Kenney ML, Schutte DL. *Non-pharmacologic management of agitated behaviors in persons with Alzheimer disease and other chronic dementing conditions*. Iowa City (IA): University of Iowa Gerontological Nursing Interventions Research Center, Research Dissemination Core; 2004. (on order)

New South Wales. *Best practice model for the use of psychotropic medication in residential aged care facilities and guidelines on the management of challenging behaviour in residential aged care facilities in New South Wales*. Gladesville NSW, NWS Health Department, 2000. Available in PDF at <http://www.health.nsw.gov.au/health-public-affairs/publications/pdf/Bestpractice.pdf>

Scottish Intercollegiate Guidelines Network. *Interventions in the management of behavioural and psychological aspects of dementia*. Guideline #22. Available in PDF at www.sign.ac.uk/pdf/sign22.pdf.

University of Iowa. Gerontological Nursing Interventions Research Center. *Wandering*. Iowa City: University of Iowa, 2002. [WM 600 U58 2002]

....Books and Videos

Alzheimer's Association. *Living with Alzheimers : managing difficult behaviours daily* [video]. Woodstock, ON: Canadian Learning, [2000?]. 1/2" VHS (20 min.)
Describes the symptoms of Alzheimers and the causes of problem behaviours. Shows real life scenerios of how caregivers react to problem behaviors. [WM 600 L785 [2000?] [video]]

Alzheimer's Association of Indiana. *Aggressive behavior among long term care residents*. [Indiana]: Alzheimer's Association, 2002. [WM 600 A2662 2002]. Available on the Internet at: <http://www.in.gov/fssa/statistics/aggressive.html>

- Alzheimer's Resource Center of Connecticut. *S.A.F.E. response techniques in crisis situations: a training video with supportive printed materials*. Connecticut: Alzheimer Resource Center, 2001. [WM 220 A4783 2001 video]
- American Association for Geriatric Psychiatry. *Behavioral disorders in dementia : agitation, aggression, and psychosis : what the clinician needs to know*. Bethesda MD: American Association for Geriatric Psychiatry, [1998] [WM 600 B419 1998]
- American Psychiatric Nurses Association. *Choice and challenge : caring for aggressive older adults across levels of care* [video]. Woodstock, ON: Canadian Learning, 1998.1/2 VHS (23 min.) + guide. Accompanied by booklet. [WM 600 C212 1998 [video]]
- Baycrest Centre for Geriatric Care. *Dementia : managing difficult behaviours* [video]. North York ON: Baycrest, 1999.1/2 VHS (30 min.) [WM 600 D376 1999 [video]]
- Behaviors in dementia : best practices for successful management*. Baltimore, MD: Health Professions Press, 1998. [WM 220 B419 1998]
- Bird M. et. al. *Psychosocial approaches to challenging behaviour in dementia: a controlled trial: report to the Commonwealth Department of Health and Ageing: Office for Older Australians*. Canberra: Commonwealth of Australia, 2002. Also available in PDF at <http://www.ageing.health.gov.au/publicat/download/psychsoc.pdf>
- Boyd, Neil./Workers' Compensation Board of British Columbia. *Gently into the night : aggression in long-term care*. Vancouver: Worker's Compensation Board of British Columbia, 1998. [WM 600 B789 1998]
- Center for Education and Research on Ageing. Dementia Education and Management Unit. *The TECH approach to dementia care: a resource kit for caring for people with challenging behaviours in a residential care setting*. Concord, NSW: CERA, 1999. [WM 600 C3972 1999]
- Chapman Alan, Jackson, Graham A, McDonald Colin. *What behaviour? Whose problem? : a guide to responding to the behaviour and aggression of people with dementia for staff working in nursing homes and residential care homes*. Stirling, Scotland: University of Stirling, 1999. [WM 600 C466 1999]
- Cody SJ, Greally J. *Investigation of the prevalence of 'resistance to care' as a cause of staff injury in residential aged care facilities in South Australia*. [WM 600 C669 2001]
- Combative residents : mirror their reality*. Virginia Beach VA: Coastal Health Train, 1998.1/2 VHS (23 min.) & handbook [WM 600 C729 1998 [video]]

Coping with Maggie – caring for Margaret: communicating through behaviour: a person-centred approach to caring for people with dementia. Ballymena, Ireland: Homefirst Community Trust, 2002. ½” VHS (55 min.) + binder [WM 220 C783 2002]

Curtin, Chris. ***Meeting the challenges of catastrophic reactions.*** Detroit, Michigan: Wayne State University. Institute of Gerontology, [200?]. [WM 220 C978 [200?] pt. 4]

Davies, Carol. ***The Management of wandering in older people with dementia.*** Powys, Wales : Powys Health Care NHS Trust, [1996]. [WM 600 D255 [1996]]. Also available in PDF at <http://www.fons.org/ahcp/archive/pdfs/Wandering.pdf>

Fabiano L. ***Dancing with dementia : success with supportive therapy.*** 3rd. ed. Port Perry, ON: Pheasant Ridge Creations Inc., 2002. [WM 220 F118 2002]

Fabiano L. ***Preventing Alzheimer's aggression: supportive therapy in action.*** Port Perry, Ont.: FCS Press, 2000. [WM 600 F119 2000]

Greenwald SC. ***The comprehensive guide to managing behavior without physical restraints.*** Bossier City, LA: Professional Printing and Publishing, 1998. [WT 87 G816 1998]

Innovative behavioral healthcare for older adults : a guidebook for changing times. San Francisco: Jossey-Bass, 1998. [WM 100 H333 1998]

International Psychogeriatric Association, Janssen-Cilag Organon. ***Behavioral and psychological symptoms of dementia (BPSD)*** International Psychogeriatric Association (IPA) educational pack [kit], Chesire, U.K.: Gardiner-Caldwell Communications Ltd., 1998. 6 booklets [WM 600 B419b 1998]. Contents: 8 modules. This educational pack draws on material presented at the Consensus Conference of the International Psychogeriatric Association (IPA) Task Force on Behavioral Disturbances of Dementia held in the Spring of 1996. These modules provide a useful overview of the presentation and causes of BPSD, offering constructive guidance on appropriate treatment interventions, both pharmacologic and non-pharmacologic, coupled with information on caregiver education and support.

Long, SW. ***Caring for people with challenging behaviors : essential skills and successful strategies in long-term care.*** Baltimore, MD: Health Professions Press, 2005. [WM 600 L849 2005].

Mahoney Ellen K., Volicer Ladislav, Hurley Ann. ***Management of challenging behaviors in dementia.*** Baltimore: Health Professions Press, 2000. [WM 220 M216 2000]

- Moniz-Cook Esme. *Interventions in challenging behaviour in dementia in residential homes: the role of therapeutic collage*. Great Britain: Health Action Zone, 2001. [WM 600 I62 2001]
- National Institute on Aging (U.S.). *Strategies for dementia : communication skills for professional caregivers*. Eugene, OR: Healthcomm Interactive Inc., 2000.1 CD-ROM. [WM 220 S898 2000]
- New South Wales. Health Centre for Mental Health. *Best practice model for the use of psychotropic medication in residential aged care facilities and guidelines on the management of challenging behaviour in residential aged care facilities in New South Wales: resource manual, an educational resource for all health professionals involved in residential aged care*. [Sydney]: NSW Health Department, 2001. www.health.nsw.gov.au/health-public-affairs/publications/pdf/Bestpractice.pdf
- O'Donnell M, Molloy D.William, Rabheru K. *Dysfunctional behaviour in dementia : a clinician's guide*. Troy, ON: Newgrange Press, 2001. [WM 600 O26 2001]
- Perez Kristin, Proffitt Mark A, Calkins Margaret P. *Minimizing disruptive behaviors*. (Creating successful dementia care settings; v. 3) Baltimore: Health Professions Press, 2001. [WM 220 C912 2001 v.3]
- Silverstein Nina M, Flaherty Gerald, Tobin Terri Salmons. *Dementia and wandering behavior : concern for the lost elder* . New York: Springer, 2002. [WM 600 S587 2002]
- Smith DA. *Geriatric psychopathology: behavioral intervention as first line treatment*. Providence RI: Behavioral Health Resource Press, 1995. [WM 600 S645 1995]
- Stokes Graham. *Challenging behaviour in dementia : a person-centred approach*. Richmond Hill, ON: Psycan Corporation, 2000. [WM 600 S874 2000]
- Stokes Graham, Goudie F. (Eds.) *The essential dementia care handbook*. Bicester, Oxon: Speechmark, 2002. [WM 220 E78 2002]
- Weber Long, Stephen. *Caring for people with challenging behaviors: essential skills and successful strategies in long-term care*. Baltimore: Health Professions Press, 2005. [WM 600 L849 2005].

...On the Net

Alzheimer's Association. **Aggressive behavior among long term care residents.** *A report prepared by the Alzheimer's Association for the Governor's Task Force on Alzheimer's Disease and Related Senile Dementias, June 30, 2002.*

<http://www.in.gov/fssa/statistics/aggressive.html>

Alzheimer's Association. Green-field Library. **Behavior symptoms of Alzheimer's disease: resource list and behavior management part II for specific behaviors: a selective list of references.** www.alz.org/Resources/ResourceLists.asp.

Alzheimer's Association Green-Field Library. **Behavior: understanding and responding to challenging behaviors in Alzheimer's disease: a selective list of references, 2005.** <http://www.alz.org/Resources/Resources/rtrlbehav.asp>

Alzheimers Australia. **Difficult behaviours in dementia: an annotated resource list.** <http://www.alzheimers.org.au/content.cfm?infopageid=339>

Bendigo Health Care Group (Australia). Regional Dementia Management Strategy. **ABC of behaviour management and strategies to manage behaviours.** www.bendigohealth.org.au/Regional-Dementia-Management/Library.html

Family Caregiver Alliance. **Caregiver's guide to understanding dementia behaviors.** http://www.caregiver.org/caregiver/jsp/content_node.jsp?nodeid=391

Fraser Health Authority. **Identification of risk & prevention of aggression in residential care.** http://healthcare.healthandsafetycentre.org/PDFs/healthcare/manual_aggression_residential_care.pdf

Levenson S. A systematic, evidence-based approach to managing challenging behavior in nursing homes. *AMDA's Caring for the Ages* April 2003;4(4). <http://www.amda.com/caring/april2003/evidencebased.htm>

Managing difficult behaviors training module. Wayne State University Intensive Train the Trainer series.

Funded by the Michigan Department of Community Health Long Term Care Initiative, the Wayne State University Institute of Gerontology, in partnership with Hospice of Michigan and Lutheran Social Services of Michigan, has developed a series of training modules on managing difficult behaviors in persons with dementia. The training modules consist of Microsoft Powerpoint slide shows for presentation and Microsoft Word documents for printing.

<http://www.iog.wayne.edu/iog/education/difficultbehaviors/>

South Fraser Health Region. **Identification of risk and prevention of aggressive behaviour in residential care.**

http://healthcare.healthandsafetycentre.org/PDFs/healthcare/aggressive_behaviour_rc.pdf

Workers' Compensation Board of B.C. and the Healthcare Benefit Trust. **Responding to aggression in long-term care: lessons from five case studies.**

http://healthcare.healthandsafetycentre.org/PDFs/healthcare/aggression_april2004.pdf

...For Residents, Families and Caregivers:

Alzheimer's Association of Australia. **Changed behaviours and dementia.**

A variety of fact sheets dealing with topics such as Hallucinations, Depression, Grief, Problem Solving, Anxious Behaviour,

etc. http://www.betterhealth.vic.gov.au/bhcv2/bhcarticles.nsf/pages/Dementia_changed_behaviours

Alzheimer's Society (UK). **Unusual behaviour.**

Fact sheets for caregivers on behaviours in Alzheimers.

http://www.alzheimers.org.uk/Caring_for_someone_with_dementia/Unusual_behaviour/

Mental Health Foundation. **Because you care: a guide to help carers cope with difficult behaviour in people with dementia.** London: The Foundation, 2000. Available in PDF at http://www.mentalhealth.org.uk/html/content/because_you_care.pdf

To inquire about resources on this bibliography, or for further information on the J.W.Crane Memorial Library, contact us at (204) 831-2152, fax (204) 888-1805, e-mail: jwclib@deerlodge.mb.ca, or at the Deer Lodge Centre website at www.deerlodge.mb.ca/library

Last updated: July 2005, links checked.